

|   |   |  |   |
|---|---|--|---|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8010087</b><br>801187/801202/801319<br>$\varnothing 148/\varnothing 143$<br>6-PK<br>30×52×22<br>13.5×25×0.5<br>12V<br>NipponDenso<br>10PA17C<br>Ford Jaguar XJ |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT80100414</b><br>8011414/801246/801334M<br>$\varnothing 116/\varnothing 110$<br>6-PK<br>35×52×20<br>M10×1.25<br>12V<br>电装10S13<br>福特福睿斯                         |
|   | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8020040-A</b><br>802140/802209/802314C<br>$\varnothing 119$<br>6-PK<br>35×55×20<br>11.5×22×0.5 (凸齿)<br>12V<br>Sanden<br>7V16/Galaxy (VX, VY) 1.9/1995-2000     |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8020040</b><br>802140/802209/802314<br>$\varnothing 119$<br>6-PK<br>35×55×20<br>11.5×22×0.5 (凸齿)<br>12V<br>Sanden<br>7V16/Galaxy (VX, VY) 1.9/2000-2003        |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8020081</b><br>802181/802209/802314<br>$\varnothing 119$<br>7-PK<br>35×55×20<br>11.5×22×0.5 (凸齿)<br>12V<br>Sanden<br>7V16/Galaxy (VX, VY) 2.8/1996-2000        |



|   |   |  |  |
|---|---|--|--|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year:<br>Compressor O. E. M.: | <b>HT80200103-H</b><br>8021103/802233/802349B<br>$\varnothing 119$<br>6-PK<br>35×55×20<br>11.5×22×0.5<br>12V<br>Sanden<br>6V12/Fusion (JU) 1.4/2002<br>1321791/2S6119D629AD/2S6119D629AE |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year:<br>Compressor O. E. M.: | <b>HT80200149</b><br>8021149/802248/802351<br>$\varnothing 111/\varnothing 107$<br>6-PK<br>35×50×20<br>11.5×22×0.5 (凸齿)<br>12V<br>Sanden6V12<br>Ford 蒙迪欧致胜                               |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year:<br>Compressor O. E. M.: | <b>HT80200234</b><br>8021234/809240/809329A<br>$\varnothing 117/\varnothing 110$<br>6-PK<br>35×55×20<br>13.5×25×0.5<br>12V<br>Sanden6V12<br>FORD GALAXY (WA6) 2.0 EcoBoost               |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year:<br>Compressor O. E. M.: | <b>HT8030035</b><br>803135/803216/803319<br>$\varnothing 135$<br>1-B<br>35×55×20<br>13.5×25×0.5<br>12V<br>Calsonic<br>NVR140S/Maverick2.4`2.7/1993-1998<br>1960809/5060212321            |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year:<br>Compressor O. E. M.: | <b>HT80300128</b><br>8031128/803271/803365<br>115/108<br>7-PK<br>35×55×20<br>13.5×25×0.5<br>12V<br>Ford  |



|   |   |   |
|---|---|---|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br><b>HT8050014</b><br>805114/805202/805303<br>Diameter:<br>$\varnothing 140/\varnothing 135$<br>Belt Groove Type:<br>5-PK<br>Bearing Size:<br>$32 \times 55 \times 23$<br>Hub Axlehole:<br>$12.5 \times 23 \times 0.5$<br>Rated Voltage:<br>12V<br>Compressor:<br>Panasonic<br>N1301A0/Probe II 2.0/1993<br>Compressor O. E. M.:<br>F32Z19703A  |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br><b>HT8080053</b><br>Diameter:<br>$\varnothing 140/\varnothing 135$<br>Belt Groove Type:<br>5-PK<br>Bearing Size:<br>$32 \times 55 \times 23$<br>Hub Axlehole:<br>$12.5 \times 23 \times 0.5$<br>Rated Voltage:<br>12V<br>Compressor:<br>Harrison<br>V5<br>Ford<br>Compressor O. E. M.:  |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br><b>HT8090001-A</b><br>809101/809204/809301<br>Diameter:<br>$\varnothing 129/\varnothing 125$<br>Belt Groove Type:<br>6-PK<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>FS10/Escort VI 1.3`1.4`1.6`1.8/<br>1992-1998<br>Mondeo II 2.0/1996-1999<br>Compressor O. E. M.:<br>1021290/1027456/F30Y19V703TA |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br><b>HT8090001</b><br>809101/809202/809301<br>Diameter:<br>$\varnothing 129/\varnothing 125$<br>Belt Groove Type:<br>6-PK<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>VISTEON FS10/1991-2003<br>Compressor O. E. M.:<br>F77Z19703AB   |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份:<br>Compressor No/Model/year:<br>原厂编号 | HT No:<br><b>HT8090002</b><br>809102/809202/809301<br>Diameter:<br>$\varnothing 129/\varnothing 125$<br>Belt Groove Type:<br>5-PK<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>FS10/Escort VI (GAL) 1.8/1992-1998<br>Compressor O. E. M.:<br>1021291/1018496   |



|   |   |  |  |
|---|---|--|--|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090003</b><br>809103/809201/809301<br>$\varnothing 140/\varnothing 135$<br>4-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10<br>Ford transit  |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090004</b><br>809104/809201/809303<br>$\varnothing / \varnothing$<br>7-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10<br>Ford Scorpio  |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090006</b><br>809106/809201/809303<br>$\varnothing 122/\varnothing 115$<br>7-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Scorpio II2.5/1994-1998<br>Scorpio I2.5/1993-1994        |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090007</b><br>809107/809201/809303<br>$\varnothing 148/\varnothing 143$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Mondeo I 1.6(GBP)/1993-1999<br>Transit 2.0 2.5/1994-2000 |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090007-A</b><br>809107/809203/809303<br>$\varnothing 148/\varnothing 143$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/KA(RBT)/1996-2003                                      |

|   |   |  |   |
|---|---|--|---|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090008</b><br>809108/809203/809303<br>$\varnothing 122/\varnothing 115$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Mustang 4.0/2004<br>4R3Z19V703AA          |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090008-A</b><br>809108/809201/809303<br>$\varnothing 122/\varnothing 115$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Scorpio II2.0/1994-1998<br>4R3Z19V703AA |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090009</b><br>809109/809201/809303<br>$\varnothing 136/\varnothing 131$<br>8-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FX15 (1233)<br>Ford                            |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090010</b><br>809110/809207/809302<br>$\varnothing 117/\varnothing 113$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Windstar3.0/1999<br>F8EH19D629BLA         |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090011</b><br>809111/809201/809301<br>$\varnothing 134/\varnothing 129$<br>7-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10<br>Ford transit2.4<br>F8EH19D629BLA       |



|   |   |  |  |
|---|---|--|--|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090012</b><br>809112/809201/809301<br>$\varnothing 131.5 / \varnothing 127$<br>8-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10<br>Ford  |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090012</b><br>809112A/809203/809301<br>$\varnothing 131.5 / \varnothing 127$<br>8-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>Compressor:<br>Ford                                |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090013-A</b><br>809113/809219/809302<br>$\varnothing 117 / \varnothing 113$<br>8-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>Compressor:<br>FS10/FORD F150                       |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090013</b><br>809113/809207/809302<br>$\varnothing 117 / \varnothing 113$<br>8-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>Compressor:<br>FS10/FORD E150                         |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090016</b><br>809116/809219/809302<br>$\varnothing 117 / \varnothing 112$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>Compressor:<br>FS10/Windstar3.8/1999<br>F8FH19D629BMA |



|   |   |  |   |
|---|---|--|---|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090018</b><br>809118/809201/809301<br>$\varnothing 131/\varnothing 126$<br>7-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10/Transit (FA_Y) 2.4/2000-2001<br>4502836/4681621/YC1H19D629AA  |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090021</b><br>809121/809203/809301<br>$\varnothing 131/\varnothing 127$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FORD<br>FS10/Transit (FA_Y) 2.0`Maverick II /1996-2002<br>1S7H19D629EA/1018497                             |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090022</b><br>809122/809207/809302<br>$\varnothing 147.5/\varnothing 143.5$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>FS10<br>Ford fiesta<br>1S7H19D629CA/1S7H19D629CB   |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090023</b><br>809123/809211/809306<br>$\varnothing 109/\varnothing 95$<br>6-PK<br>35×50×20<br>9.5×18×0.5(凹齿)<br>12V<br>Visteon<br>Scroll/Mondeo III (B5Y) 1.8`2.0/<br>2001-2003<br>1S7H19D629CA/1S7H19D629CB                    |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090023-A</b><br>809123/809211A/809306<br>$\varnothing 109/\varnothing 95$<br>6-PK<br>35×50×20<br>9.5×18×0.5(凹齿)<br>12V<br>Visteon<br>Scroll/Cougar (EC) 2.0/1999-2000<br>Mondeo II (BAP) 2.0/1999-2000<br>1084732/RXS7H19D629EA |



|   |   |   |
|---|---|---|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>809124/809211/809306<br>Diameter:<br>$\varnothing 109/\varnothing 95$<br>Belt Groove Type:<br>6-PK<br>Bearing Size:<br>$35 \times 50 \times 20$<br>Hub Axlehole:<br>$9.5 \times 18 \times 0.5$ (凹齿)<br>Rated Voltage:<br>12V<br>Compressor:<br>Visteon<br>Scroll/M2000<br>Compressor O. E. M:               |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>809131/809207/809304<br>Diameter:<br>$\varnothing 141$<br>Belt Groove Type:<br>1-A<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>HCC<br>HS15/FORD RANGER EVEREST/2003<br>Compressor O. E. M:                      |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>809132/809201/809303<br>Diameter:<br>$\varnothing 122/\varnothing 115$<br>Belt Groove Type:<br>6-PK<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>FS10<br>Ford Mustang<br>Compressor O. E. M:                     |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>809134/809201/809303<br>Diameter:<br>$\varnothing 130/\varnothing 126$<br>Belt Groove Type:<br>6-PK<br>Bearing Size:<br>$30 \times 55 \times 23$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>Ford<br>FS10/Windstar 3.8(风之星)/1995-1998<br>Compressor O. E. M: |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>809137/809217/809312<br>Diameter:<br>$\varnothing 117/\varnothing 108$<br>Belt Groove Type:<br>5-PK<br>Bearing Size:<br>$35 \times 55 \times 20$<br>Hub Axlehole:<br>$13.6 \times 21 \times 0.6$<br>Rated Voltage:<br>12V<br>Compressor:<br>Visteon<br>VS16/<br>Compressor O. E. M:                         |



|   |   |  |  |
|---|---|--|--|
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090037-A</b><br>809137/809217A/809312<br>$\varnothing 117/\varnothing 108$<br>5-PK<br>35×55×20<br>13.6×21×0.6<br>12V<br>Visteon<br>VS16/Focus C-Max1.6`1.8`2.0/2003<br>1333040/1388316/1432750 |
|    | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090047</b><br>809147/809211/809315<br>$\varnothing 109.5/\varnothing 99.5$<br>6-PK<br>35×50×20<br>9.5×18×0.5(凹)<br>12V<br>Visteon<br>Ford Fox  |
|   | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090074</b><br>809174/809217/809312<br>$\varnothing 117/\varnothing 108$<br>5-PK<br>30×55×20<br>13.6×21×0.6<br>scroll<br>Ford Fox   |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT8090097</b><br>809197/809208/809333<br>$\varnothing 124.4/\varnothing 118.5$<br>6-PK<br>30×55×23<br>13.6×21×0.6<br>12V<br>HCC<br>Ford   |
|  | HT编号<br>外 径<br>皮 带 槽<br>装配轴承<br>吸盘轴孔<br>额定电压<br>压 缩 机<br>压缩机型/车型/年份<br>Compressor No/Model/year<br>原厂编号 | HT No:<br>Diameter:<br>Belt Groove Type:<br>Bearing Size:<br>Hub Axlehole:<br>Rated Voltage:<br>Compressor:<br>Compressor No/Model/year<br>Compressor O. E. M: | <b>HT80900106</b><br>8091106/809229/809326<br>$\varnothing 124/\varnothing 118$<br>6-PK<br>35×52×22<br>13.6×21×0.6<br>12V<br>FS10<br>Ford  |



|   |                          |                   |                                |
|---|--------------------------|-------------------|--------------------------------|
|  | HT编号                     | HT No:            | <b>HT80900108</b>              |
|   | 外径                       | Diameter:         | 8091108/809208/809304<br>∅ 135 |
|   | 皮带槽                      | Belt Groove Type: | 1-B                            |
| 装配轴承  | Bearing Size:            | 30×55×23          |                                |
| 吸盘轴孔  | Hub Axlehole:            | 13.6×21×0.6       |                                |
| 额定电压  | Rated Voltage:           | 12V               |                                |
| 压缩机   | Compressor:              | HCC               |                                |
| 压缩机型/车型/年份  | Compressor No/Model/year | FORD EVEREST      |                                |
| 原厂编号  | Compressor O. E. M:      |                   |                                |